

Web Images Videos Maps News Shopping Gmail more ▾

Sign in

Google scholar   [Advanced Scholar Search](#)  
[Scholar Preferences](#)

**Scholar**   -   Results 1 - 10 of about

[... Notch ligand Delta1 is sequentially \*\*cleaved\*\* by an ADAM \*\*protease\*\* and γ-secretase](#) [nih.gov](#)  
 E Six, D Ndiaye, Y Laâbi, C Brou, N ... - Proceedings of the ..., 2003 - National Acad Sciences  
[Full Text](#)  
 ... 3. Full-length Dll1 and its **proteolytic** fragment Dll1 TMIC are present in distinct complexes. ... The lack of PS1 association with Dll1 TMIC is a bit **unexpected**. A possible explanation is that after ADAM **cleavage**, PS1/Dll1 TMIC association is only transient and disappears when γ ...  
 Cited by 125 - Related articles - BL Direct - All 7 versions

[... of severe acute respiratory syndrome virus main \*\*protease\*\* and its complex with an ...](#) [pnas.org](#)  
 H Yang, M Yang, Y Ding, Y Liu, Z Lou ... - Proceedings of the ..., 2003 - National Acad Sciences  
[Full Text](#)  
 ... (B) A profile of the **proteolytic** reaction for determination of the enzymatic activity of SARS ... The P1 and P2 peaks represent the product peptides that were **cleaved**, and the S peak represents the substrate leftover. **Unexpected** Binding Mode of the Substrate-Analogue Inhibitor. ...  
 Cited by 246 - Related articles - BL Direct - All 24 versions

[Proteases acting on mutant huntingtin generate \*\*cleaved\*\* products that differentially ...](#) [univ.-muenchen.de](#)  
 A Lunkes, KS Lindenberg, L Ben-Haim, C Weber, D ... - Molecular cell, 2002 - Elsevier  
 ... The presence of the T-hd122 protein in the nuclear extracts was **unexpected**, since no nuclear immunoreactivity was seen with mAb 4C8 in IF analysis. ... **Cleavage** Site/Domain Releasing Cp-A and Specificities of the **Protease** Involved. ...  
 Cited by 148 - Related articles - All 11 versions

[... mutation in fibroblast growth factor 23 resists \*\*proteolytic cleavage\*\* and enhances in ...](#) [jbc.org](#)  
 XY Bai, D Miao, D Goltzman, AC Karaplis - Journal of Biological Chemistry, 2003 - ASBMB  
 ... vivo overexpression system that the R176Q form of FGF23 that is resistant to **proteolytic cleavage** has an ... overproduction of FGF23 by tumors (as in TIO), mutations that prevent its **cleavage** (as in ... A somewhat **unexpected** finding in our study, not described by others (17), was the ...  
 Cited by 100 - Related articles - BL Direct - All 4 versions

[... induces the release in the bone marrow of \*\*proteases\*\* that \*\*cleave\*\* c-KIT receptor \( ...](#)  
 JP Lévesque, J Hendy, IG Winkler, Y Takamatsu, ... - Experimental ..., 2003 - Elsevier  
 ... Using cell lines expressing mouse and human c-KIT and a recombinant protein comprising the entire extracellular domain of human c-KIT, we analyzed by flow cytometry and immunoblotting the **proteolytic cleavage** of c-KIT by **proteases** released in bone marrow extracellular ...  
 Cited by 77 - Related articles - All 8 versions

[A RIP tide in neuronal signal transduction](#)  
 JO Ebinu, BA Yankner - Neuron, 2002 - Elsevier  
 ... determined whether presenilins are **proteases** or regulatory components of a multiprotein complex containing another **protease**. ... Nevertheless, the sequential processing of APP by discrete extracellular and intramembrane **cleavage** events would be **unexpected** if the sole ...  
 Cited by 117 - Related articles - All 7 versions

[Activated protein C-\*\*cleaved\*\* \*\*protease\*\* activated receptor-1 is retained on the ...](#) [hematology.jhu.edu](#)  
 RA Schuepbach, C Feistritzer, LF Brass, ... - ..., 2008 - bloodjournal.hematologylibrary.org  
 ... This **unexpected** result indicates that the APC-**cleaved** PAR1 is detected on the cell surface by ...  
 20,21 Previous data indicate that APC can only directly **cleave** PAR1's N-terminal exodomain  
 at ... 28 Incubation with APC might lead to activation of other cellular **proteases** that in turn ...

[Cited by 13](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

[HTML] **Cleavage** of the ADAMTS13 propeptide is not required for **protease** activity [jbc.org](#)

EM Majerus, X Zheng, EA Tuley, JE Sadler - Journal of Biological Chemistry, 2003 - ASBMB

... In contrast to many related **proteases** that are activated by proprotein convertase **cleavage** ... the known (human) (23, 24) or predicted (others) proprotein convertase **cleavage** sites, which ... The **unexpected** finding that pro-ADAMTS13 has **proteolytic** activity is consistent with several ...

[Cited by 58](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

[HTML] ... Endoplasmic Reticulum Stress-induced **Cleavage** but Not Transport of the ... [jbc.org](#)

T Okada, K Haze, S Nakanaka, H Yoshida, NG ... - Journal of Biological Chemistry, 2003 - ASBMB

... that promote accumulation of unfolded proteins in the ER by inhibiting protein N-glycosylation; the reason for these **unexpected** results is ... lanes 4 and 5). These results strongly suggest that the target of AEBF is S1P, which is a serine **protease** involved in the **cleavage** of both ...

[Cited by 62](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

[HTML] ... mediate a dual intramembranous  $\gamma$ -secretase **cleavage** of Notch-1 [nih.gov](#)

M Okochi, H Steiner, A Fukumori, H Tanil, T ... - The EMBO Journal, 2002 - pubmedcentral.nih.gov

... the NEXT derivative F-NEXT indeed undergoes an additional and **unexpected cleavage** at a ... by the selective inhibition of A $\beta$  production without affecting Notch **cleavage** (Petit et al. ... production in general) is mediated by independent and distinct intramembrane cleaving **proteases**. ...

[Cited by 140](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

unexpected \* cleavage protease

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google